


WiNDHAGER

HOME & GARDEN

INSECT PROTECTION WITH SYSTEM PRODUCT CATALOGUE



2025



FLEXIBILITY TO SUIT YOUR LIFESTYLE

- ... the perfect solution for every door and window.
- ... flexibly adaptable to your lifestyle and living situation.
- ... developed in Europe
- ... whether it's advice, accessories or spare parts you need, you'll find we have it all!
- ... whether you are looking for a self-assembly kit or a custom-made solution, we have the perfect solution for you.

VENTILATE WHEREVER YOU NEED IT

Available for windows, skylights and balcony and patio doors, Windhager insect protection solutions allow you to ventilate without being disturbed by insects.

SLEEP PEACEFULLY

Protect yourself and your family without using chemicals! On balmy nights it can be wonderful to sleep with the window open. Installing insect screens will ensure that you aren't kept awake by buzzing flies or mosquitoes, etc. or worse still their bites.

ENJOY FOOD

Protect windows and doors with fly screens. You will be able to cook and eat in peace without having to miss out on fresh air. Because wasps and flies love our meals just as much as we do.



WINDHAGER - A FAMILY COMPANY FROM AUSTRIA

TOP QUALITY & PERSONAL SERVICE

The secrets of our success are our partnerships with trading partners and suppliers and the best products for home and garden. From pest repellents to sun sails and privacy screens to a wide range of garden items, we are always developing new solutions for our customers. What particularly sets us apart are our outstanding insect protection products!



PERSONAL

As a family firm with over 40 years' experience, Windhager is a customer-oriented business offering products you can rely on.



THOUGHT OUT

Whether it's a classic or market-oriented innovation: Our products offer customers great benefits and meet the highest demands.



DIVERSE

The Windhager range includes ingenious and creative solutions for many challenges around the house and garden.

SKYLIGHTS

Special solutions to keep attic rooms mosquito-free.

WINDOWS

plastic, aluminium or wood;
drilling, screwing or sticking;
fly screens, pollen protection
mesh or sun protection -
the options are endless!

LIGHT SHAFTS

Light shafts also need to be
protected from mosquitoes,
spiders and insects.



PRODUCT LINES

FLOOR-TO-CEILING WINDOWS

Floor-to-ceiling windows require specially designed fly screens.

INSECT STOP PLUS

- Attractive cost-benefit ratio
- **5-year warranty** on aluminium frames*
- Wide range of products
- Pollen protection solutions

INSECT STOP EXPERT

- Professional quality
- **10-year warranty** on aluminium frames
- Perfect View fibreglass mesh (except pleated)
- Double door solutions

SUN STOP COOL

- Special sun-protection mesh
- Blocks out up to 70% more sunlight, thereby keeping the indoor temperature down → tested by ift-Rosenheim
- **5-year warranty** on aluminium frames*
- Mesh can also be inserted into fly screen frames already purchased

DOORS

Our wide range of insect protection products means there is a solution for every door, be it a standard fly screen or a custom-made insect screen.

* except roller screens
(10-year warranty)

WHAT MAKES US SPECIAL:

PRODUCT DEVELOPMENT IN AUSTRIA

We develop our products at our headquarters in Austria. Regarding production we take a diversified approach, manufacturing some products in-house, while others are manufactured by selected suppliers. This strategy allows us to ensure the highest standards of functionality and quality in both design and production.

WE ARE HERE FOR YOU

Tried-and-tested assembly instructions and installation videos in many languages guide you to the finished product. If you have any questions, contact our support website or customer service for help, by phone or email.

WE OFFER SPARE PARTS, WITH WARRANTIES


All the components in our DIY kits are available separately from our customer service to replace a damaged or defective part. Even after a product is replaced by a new version, spare parts remain available for existing products.

ADJUSTABLE INSECT SCREEN

Our solutions can be expanded and customised with a wide range of accessories: from additional brush seals to clamp hinges and special meshes (pet-proof mesh, or pollen mesh).

SUSTAINABILITY AND SOCIAL RESPONSIBILITY ARE IMPORTANT TO US

That's why we require all suppliers to have amfori BSCI certification to guarantee employee rights are protected. Our products of course comply with the REACH regulation (EU Chemicals Regulation). Our insect protection products are certified with the 'Blue Angel' environmental label. Our retail packaging is largely FSC-certified, i.e. the cardboard and paper is sourced from sustainable forests. Where possible, we avoid the unnecessary use of plastics in retail packaging. Our products are also for the most part recyclable and reusable at the end of their life cycle.



PERFECTLY INFORMED. AT HOME, ON THE MOVE OR DIRECTLY IN THE DIY STORE.

GO TO THE WEBSITE

<https://windhager.eu> and search for the relevant item number or product name, or scan the QR code on the packaging.

DETAILED INFORMATION AND INSTALLATION VIDEOS

Of course, we also provide you with all relevant information online: operating instructions, installation videos and detailed technical information such as installation depth, mesh size, and care instructions.

You can even find **step-by-step installation instructions**, with an integrated measurement calculator at <https://windhager.eu>



WE ARE ALWAYS THERE FOR YOU!

If you have any questions about the product or assembly – feel free to contact us free of charge:

from Germany 0800 6161 123,

from Austria 0800 080616,

from Switzerland +41 4176 6054-0

or write an e-mail to:

germany@windhager.eu

austria@windhager.eu

swiss@windhager.eu

export@windhager.eu



www.windhager.eu

OUR SALES SOLUTIONS

The development of both POS solutions and the consistent fulfilment of customer needs are our central concerns.

OUR PRODUCTS PERFECTLY STAGED AT YOUR STORE!

ALL IN ONE

We offer an extensive product range including POS presentation „from one single source“, which will save you the hassle of several suppliers, therefore saving you valuable time.

INDIVIDUAL VARIETY

We provide you with a selection of displays and secondary placements so that the desired POS option corresponds with the relevant market requirements.



ELECTRONIC SUPPORT

We provide a modern planogram software to facilitate planning and profitability analyses of shelf assembly.

OPTIMAL PRODUCT PRESENTATION

Our ready-made POS concepts allow for an extensive product range. A clear, informative design as well as striking example boards help the end customer choose their ideal product.

BROCHURES FOR END CUSTOMERS

Brochures are included at the respective secondary placements to further promote the POS. They contain detailed product information and a wide range of applications for the end user.



INNOVATIVE, MODERN, EFFICIENT – YOUR INSECT SCREEN BY WINDHAGER

PACKAGING WITH SYSTEM



✓ CLEAR DESIGN

- orange: Insect Stop PLUS
- anthracite: Insect Stop EXPERT
- blue: Sun Stop COOL
- accessories: PLUS/EXPERT

✓ PICTOGRAMS

Symbols on all packaging to help locate and compare products.

✓ TEXTS & INSTRUCTIONS

Product texts in 26 European languages; assembly instructions in text and picture with reference to the assembly video in national language with country code.



HOOK AND LOOP TAPE FLY SCREEN

Affordable, quick and easy to install. Thanks to the hook and loop tape, the frame can be removed without leaving any residue. Perfect for rental apartments.



FRAMED SCREENS


Sturdy and yet quickly assembled. No drilling required to install. Easily cut to size to fit most windows.



PRODUCT OVERVIEW WINDOWS AND DOORS


PLEATED WINDOW SCREEN

Space-saving, drill-free installation with all the advantages of a roller screen. Perfect for all windows that are frequently opened, to water plants for example. Or for windows where the fly screen is only used sporadically and needs to stay out of sight when not in use.



ROLLER WINDOW SCREEN

Sturdy, high quality, quick to open and close – even with one hand. The fabric disappears into the cassette where it is effectively protected when not in use. The optimum solution for heavy use.



SKYLIGHT SCREEN

Perfect for roof windows: Hook and loop tape fly screen, roller and pleated screens that protect against sunlight and mosquitoes.





ANTHRACITE
WHITE

**PROFILE
COLOURS**

DOOR CURTAIN

Space-saving, economical and simple. Works wherever the installation depth is too small for other solutions. Also ideal for households with children and animals, as they can just walk straight through it - and with no risk of damage.




FRAMED DOOR SCREEN

Sturdy, perfectly transparency model, with an unobtrusive design. It is not for nothing that it has become a classic for single-leaf balcony and patio doors.




PLEATED DOOR SCREEN

The space-saving solution for patio and balcony doors. Pleated door screens can also be installed in limited installation depths and are suitable for single and double doors. Will stay open in any position.




ROLLER DOOR SCREEN

Inconspicuous when not in use, effective when closed. When opened, the roller screen disappears into a protective cassette. Perfect for all doors without the space for swing and sliding versions.



SLIDING DOOR SCREEN

Space-saving and stable - extremely flexible, the ideal solution for large doors: can be opened from both sides and can also be fitted behind roller shutters.



HINGED DOOR SCREEN


Swinging inwards or outwards? Why not both? Hinged door screens can be opened both ways - no need to have even one hand free. Perfect for often-used doors, as well as households with animals and children.



WINDOW & DOOR MODELS


When choosing an insect screen, it is important to determine your window or door type. To do this, simply compare the illustrations with your window/door.

The product overview and the tables starting on page 14 describe in detail which product is suitable for particular windows/doors.

A

CENTRE-PIVOT SKYLIGHT


Skylight with window sash swinging inwards and outwards

B

TOP-HUNG SKYLIGHT

Skylight with window sash opening outwards

①




FLUSH-MOUNTED WINDOWS AND DOORS

Windows and doors with sash mounted flush with the frame

Sash

Frame

②



OFFSET WINDOWS AND DOORS

Windows and doors with sash offset from the frame

Sash

Frame

③



WINDOWS AND DOORS WITH RAIN DEFLECTOR

Windows and doors with a protruding bar on sash or frame

Sash

Rain deflector

Frame

CHOOSING THE RIGHT PRODUCT FOR YOUR WINDOWS

How should your Windhager insect screen be installed and which type of window do you have?

Find your perfect match using the information in the table!


Want to combine sun and insect protection? Just go forward two pages to our COOL products!

	PLUS ★★★★★						
	Fly screen/ Elastic (S. 22/23)	Sky light fly screen (S. 23)	Open-Up fly screen (S. 24)	Easy Open Magnetic curtain for windows (S. 24)	Pop-Up Screen (S. 25)	Pollen protection set (S. 26)	Pollen protection screen (S. 26)
Which type window model? See p.12							
① Flush-mounted	X			X		X	X
② Offset	X		X	X	X	X	X
③ Rain deflector							
Ⓐ Centre-pivot skylight		X					
Ⓑ Top-hung skylight		X					
How would you like to attach your insect screen?							
Wedging							
Screwing							
Sticking				X			X
Hook and loop tape	X	X	X	X		X	
Suspended							
Self-supporting					X		
Would you like to open/remove the insect screen?			X	X	X		X
Required installation depth	1 mm	1 mm	1 mm	5 mm	5 mm	1 mm	10 mm

* No need to worry about cutting to size and fitting: we also offer many of our products custom-made! All you have to do is attach



PLUS ★★★★★							EXPERT ★★★★★		
Magnetic frame window (S. 27)	Ultra flat window (S. 27)	Telesco-pic Frame Window (S. 28)	Click & Protect window (S. 29)	Frame window (S. 30)	Suspen-ded roller blind (S. 31)	Roller blind window (S. 32)	Insect Screen window (S. 42)	Pleated sky light (S. 44)	Pleated Window Ultra Flat (S. 45)
X	X	X	X	X	X	X	X		
X	X	X	X	X	X	X	X		X
					X	X	X		
								X	
								X	
						X			
						X		X	
X									
	X	X	X	X	X		X		X
X	X	X	X	X	X	X	X	X	X
10 mm	5 mm	12 mm	12 mm	14 mm	38 mm	42 mm	14 mm	25 mm	5 mm




CHOOSING THE RIGHT PRODUCT FOR YOUR DOORS

Narrow down the choice from our wide range of products starting with your door size and type. We have the perfect solution whether you have single or double doors with or without rain deflectors.

Choose the type of installation that suits you and decide whether you want the Windhager insect screen as a self-assembly kit or as a custom-made product.

	PLUS ★★★★★					
	Door drape (S. 33)	Magnetic drape (S. 33)	Door drape "EASY" (S. 34)	Door drape "Telescope" PVC (S. 34)	Door drape "Telescope" ALU (S. 35)	Frame door (S. 36)
What type of door is installed? See p.12						
① Flush-mounted	X	X	X	X	X	X
② Offset	X	X	X	X	X	X
③ Rain deflector	X	X	X	X	X	X
Door size						
Single door	X	X	X	X	X	X
Double doors						
How would you like to attach your insect screen?						
Wedging						
Screwing				X		X
Sticking	X	X	X	X	X	
Required installation depth	5 mm	5 mm	8 mm	17 mm	10 mm	16 mm

* No need to worry about cutting to size and fitting: we also offer many of our products custom-made! All you have to do is attach the pre-assembled product. Would you rather assemble it yourself? Installation videos and more on www.windhager.eu




PLUS ★★☆☆			EXPERT ★★★★★			
Telescopic Frame door (S. 37)	Retractable Pleated Frame door (S. 38)	Roller blind door (S. 40)	Insect Screen Door (S. 46)	Swing door (S. 48)	Sliding door (S. 49)	Pleated door (S. 50)
X	X	X	X	X	X	X
X	X	X	X	X	X	X
		X	X		X	X
X	X	X	X	X		X
					X	X
		X	X*			
X	X	X	X	X	X	X
	X			X		
20	26	42/82 mm	16 mm	15 mm	16 mm	26 mm



* in combination with accessory Z11

SUN PROTECTION FOR WINDOWS

Use the information in the table to find the right sun protection fly screen for your window.



	COOL					
	Open-up sun pro- tection fly screen (S. 52)	Sun & insect pro- tection for sky lights (S. 52)	Magnetic sun protection tenter frame (S. 53)	Window sun blind (S. 53)	Suspended sun blind (S. 54)	Tenter frame sun blind (S. 55)
Which type window model? See p.12						
① Flush-mounted			X	X	X	X
② Offset	X		X	X	X	X
③ Rain deflector				X	X	X
A Centre-pivot skylight		X				
B Top-hung skylight		X				
How would you like to attach your insect screen?						
Sticking			X	X		
Hook and loop tape	X	X				
Suspended					X	X
Would you like to open/remove the insect screen?	X		X		X	
Required installation depth	1 mm	1 mm	10 mm	1 mm	38 mm	14 mm



COOL

Effective insect protection meets cooling sun protection!

COOL products with "Sun Stop mesh" provide effective sun and insect protection for your home. Some fly screens are equipped with the equally effective "Sun Reflection" mesh. The specially coated polyester mesh - black on the inside, silver on the outside - reflects up to 50% of the sun's rays. Rooms therefore remain shaded and cool.

The mesh also provides reliable **protection against insects**: your home stays safe. Crawling and flying insects cannot find a gap in the fabric and have to stay outside. The fly screen mesh has been awarded the **"Blue Angel"** label in the "Repelling and combating pests without the use of toxic substances" category.

And at the same time, COOL products offer **heat protection**: The sunlight is immediately blocked so that it cannot shine with full force into your living space.

The dark, tightly woven fibreglass mesh allows less sunlight and heat through, keeping rooms cool. The mesh reduces the dazzling effect of the sun as well as heat generation by reducing transparency by up to 70%. Also helps prevent eye strain when using a computer or watching TV in front of the computer and TV.



CONTENTS

Fly screen	22
Elastic fly screen & Sky light fly screen	23
Open-Up fly screen & Easy Open Magnetic curtain for windows	24
Pop-Up Screen.....	25
Pollen protection set & Pollen protection screen	26
Magnetic frame window & ultra flat window	27
Telescopic Frame Window	28
Click & Protect window.....	29
Frame window	30
Suspended roller blind	31
Roller blind window	32
Door drape & Magnetic drape	33
Door drape "EASY" & Door drape "Telescope" PVC	34
Door drape "Telescope" ALU	35
Frame door	36
Telescopic Frame door.....	37
Retractable Pleated Frame door	38
Roller blind door.....	40
Insect Screen window	42
Pleated sky light	44
Pleated Window Ultra Flat	45
Insect Screen Door	46
Swing door.....	48
Sliding door	49
Pleated door	50
Pleated double door	51
Open-Up sun protection fly screen & Sun & insect protection for sky lights	52
Magnetic sun protection tenter frame & Window sun blind	53
Suspended sun blind	54
Tenter frame sun blind	55
Fibreglass fabric	56
Individual components	57
Frame profile for windows & doors & Middle rung profile for doors.....	58
Fabrics	59
Repair Tape & Mosquito net	62
Accessories	63
Taking measurements correctly	73

FLY SCREEN















- Fine-meshed, high-quality fly screen made of polyester fabric
- Easy mounting, removable at any time
- Individually adjustable
- Suitable for floor-to-ceiling windows
- Required space (installation depth): 1 mm
- **INCLUDING** self-adhesive velcro mounting tape



Suitable for
**Window models
1 and 2**
See p.13



Art. No.	EAN	Size	Colour	PU
03484	 9 003117 034846	100 × 100 cm	white	16
03485	 9 003117 034853	100 × 100 cm	anthracite	16
03487	 9 003117 034877	100 × 130 cm	white	16
03495	 9 003117 034952	100 × 130 cm	anthracite	16
03498	 9 003117 034983	130 × 150 cm	white	16
03499	 9 003117 034990	130 × 150 cm	anthracite	16
03258	 9 003117 032583	130 x 220 cm	white	10
03259	 9 003117 032590	130 x 220 cm	anthracite	10
03478	 9 003117 034785	150 × 180 cm	white	10
03479	 9 003117 034792	150 × 180 cm	anthracite	10
03481*	 9 003117 034815	150 × 300 cm	white	10
03483*	 9 003117 034839	150 × 300 cm	anthracite	10

* without velcro mounting tape

ELASTIC FLY SCREEN



Suitable for
**Window models
1 and 3**

See p.13



- Elastic fabric made with 87% polyamide and 13 % elastane
- Suitable for all common window types, also for windows with double sashes and/or weather stripping
- Easy mounting, removable at any time
- Individually adjustable
- Required space (installation depth): 1 mm
- **INCLUDING** self-adhesive velcro mounting tape

Art. No.	EAN	Size	Colour	PU
03387		130 × 150 cm	white	16
03386		130 × 150 cm	anthracite	16

SKY LIGHT FLY SCREEN



Suitable for
**Window models
A and B**

See p.12



- Fine-meshed, high-quality fly screen made of polyester fabric
- With access zip - enabling quick opening and closing of the window
- Easy mounting, removable at any time
- Individually adjustable
- Required space (installation depth): 1 mm
- **INCLUDING** self-adhesive velcro mounting tape

Art. No.	EAN	Size	Colour	PU
03419		130 × 150 cm	white	16
03433		130 × 150 cm	anthracite	16



OPEN-UP FLY SCREEN




Suitable for
Window model 2
See p.13



- Fly screen to open and close
- Also ideal for windows with shutters, flower boxes etc.
- Fine-meshed polyester fabric
- Easy mounting, removable at any time
- Size individually customisable
- Required space (installation depth): 1 mm
- **INCLUDING** hook & loop-tape

Art. No.	EAN	Size	Colour	PU
03537	 9 003117 035379	130 × 150 cm	white	10
03539	 9 003117 035393	130 × 150 cm	anthracite	10


EASY OPEN MAGNETIC CURTAIN FOR WINDOWS




Suitable for
**Window models
1 and 2**
See p.13



- Insect screen to open and close.
- Easy installation on the inside or outside of the window frame using Velcro and fleece tape, as well as self-adhesive magnetic strips.
- Removable at any time, can be cut and shortened individually.



Self-adhesive
magnetic strip



Easy assembly

Art. No.	EAN	Size	Colour	PU
04565	 9 003117 045651	130 × 150 cm	anthracite	1

NEW


POP-UP SCREEN




Suitable for
Window model 2
See p.13



1. Squeeze!




2. Pop-Up!



self-supporting
in window groove
thanks to pop-up
function


3. Protect!



- Flexible frame made from fibreglass rods and fastening tape
- Self-supporting in window groove without additional fastening material
- Size individually customisable
- Anthracite fabric for good transparency
- Drill-free installation

Art. No.	EAN	Size	Colour	PU
04597		100 x 120 cm	anthracite	1

POLLEN PROTECTION SET*



Suitable for
**Window models
1 and 2**

See p.13



- All-in-one set with special fabric and fastening tape
- Particularly recommended for people with allergies to pollen from trees, grasses etc.
- High breathability
- Also suitable as protection against insects
- Required space (installation depth): 1 mm
- **INCLUDING** self-adhesive velcro mounting tape

Art. No.	EAN	Size	Colour	PU
03383		130 × 150 cm	anthracite	1

* Pollen screens help to reduce pollen in interior rooms, however, they do not replace medical treatment.

POLLEN PROTECTION SCREEN



Suitable for
**Window models
1 and 2**

See p.13



- Application: protects all window types accessible from the outside from pollen and insects
- High-quality plastic and magnetic profiles ensure permanent attachment to the outside of the window frame
- Close-meshed polyester fabric contributes to reducing pollen load in interior areas
- Drill-less exterior installation using self-adhesive magnetic strips
- Magnetic frame can be removed at all times

- Can be sized individually
- Flush handle can be attached to every corner
- Space requirement (installation depth): 10 mm

Art. No.	EAN	Size	Colour	PU
03524		100 × 120 cm	white	1
03525		100 × 120 cm	anthracite	1

MAGNETIC FRAME WINDOW



Suitable for
**Window models
1 and 2**
See p.13


- Application: for all windows which are accessible from the outside
- All-in-one set with high-quality plastic and magnetic profiles
- Fibreglass fly screen fabric, completely weather and tearproof
- Simple outdoor installation by means of self-adhesive magnetic strip
- Magnetic frame can be removed at any time
- Size individually adjustable
- Flush handle can be attached to any corner as desired
- Required space (installation depth): 10 mm

Art. No.	EAN	Size	Colour	PU
03388	 9 003117 033887	100 × 120 cm	white	1
03389	 9 003117 033894	100 × 120 cm	anthracite	1





ULTRA FLAT WINDOW



Geeignet für
Fenstermodell 2
Siehe S.13



- Ideal for offset windows with close-fitting roller shutters
- Plastic corner, no screws
- Ready-to-mount fastening
- springs
- Required space (installation depth): only 4.3 mm
- **INCLUDING** fibreglass fabric


Art. No.	EAN	Size	Colour	PU
03957	 9 003117 039575	100 × 120 cm	white	1
03967	 9 003117 039674	100 × 120 cm	anthracite	1
03970	 9 003117 039704	120 × 150 cm	white	1
03971	 9 003117 039711	120 × 150 cm	anthracite	1



TELESCOPIC FRAME WINDOW



Suitable for
**Window models
1 and 2**
See p.13




Continuously
telescoping frame
system



spring-loaded
suspension angle





- Continuously telescoping frame window
- Suitable for all common window types
- High-quality aluminium profiles with plastic corners
- Quick sawless assembly
- Weatherproof and tear-resistant fibreglass fabric
- 03629 and 03630: min. clearance measurements: 60 x 68 cm
- 03631 and 03632: min. clearance measurements: 75 x 83 cm
- Required space (installation depth): 12 mm



stable
plastic corners



tear-resistant
fibreglass fabric

Art. No.	EAN	Size	Colour	PU
03629	 9 003117 036291	100 × 120 cm	white	1
03630	 9 003117 036301	100 × 120 cm	anthracite	1
03631	 9 003117 036314	130 × 150 cm	white	1
03632	 9 003117 036321	130 × 150 cm	anthracite	1

CLICK & PROTECT WINDOW



1



2



3

CLICK & PROTECT




Suitable for
**Window models
1 and 2**

See p.13

- Mostly pre-assembled aluminium frame for easy clicking together.
- Saw-free installation.
- Telescopic aluminium profiles, infinitely adjustable.
(min. WxH: 75 x 75 cm)
- Drill-free installation using adjustable hanging brackets including bending template.
- Fibreglass fly screen fabric.
- All-round sealing brush.



Easy Click together



Telescopic
aluminum profile



Adjustable
hanging brackets

Art. Nr	EAN	Size	Colour	PU
04581	 9 003117 045811	130 x 140 cm	white	1
04582	 9 003117 045828	130 x 140 cm	anthracite	1

FRAME WINDOW



Suitable for
**Window models
1 and 2**

See p.13



- All-in-one kit with extruded, powder-coated aluminium profiles
- Robust, weather resistant fiberglass fly screen fabric
- High stability due to fiber-reinforced corner connectors with cut edge cover and aluminum profiles
- Handle flaps make it easier to hook and unhook the frame
- All-round sealing brushes that seal towards the window frame
- Rubber profile for fixing the fabric in the profile
- Frame size individually adjustable
- Drill-less fastening with height-adjustable stainless-steel suspension springs incl. bending aid; for window frames measuring 8 – 30 mm
- Required space (installation depth): 12 mm
- Suitable for common window types without rain guard




Drill-free suspension on spring, suitable for depths from 5 – 35 mm



Tear-resistant fiberglass fabric







Handle flaps



Optional accessory assortment



Art. No.	EAN	Size	Colour	PU
04561		100 × 120 cm	white	1
04562		100 × 120 cm	anthracite	1
04563		130 × 150 cm	white	1
04564		130 × 150 cm	anthracite	1

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z7	Latch set, white	9003117 04538 5	64
Z7	Latch set, anthracite	9003117 04539 2	64
Z9	Suspension angle assembly set, white	9003117 04540 8	65
Z9	Suspension angle assembly set, anthracite	9003117 04541 5	65
Z20	Pollen protection fabric	9003117 03477 8	70
Z26	Sealing brush set	9003117 04520 0	72
Z23	Corner connector set, white	9003117 04542 2	71
Z23	Corner connector set, anthracite	9003117 04543 9	71

SUSPENDED ROLLER BLIND



Suitable for
**Window models
1, 2 and 3**

See p. 13

- Complete DIY kit made of extruded, powder-coated aluminium profiles
- Fibreglass fly screen fabric, completely weather- and tear-proof
- Drill-less, clamp-less installation by means of adjustable suspension spring incl. practical bending template
- Integrated roller blind brake prevents uncontrolled recoil of fabric
- Height-adjustable handle rail for comfortable operation
- Sealing brushes for all-round protection
- Frame size can be adjusted to fit
- Space requirement (installation depth): 38 mm







Drill-less installation by means of suspension springs



Can be opened and closed at any time



Incl. bending aid

Art. No.	EAN	Size	Colour	PU
03293	 9 003117 032934	100 × 160 cm	white	1
03294	 9 003117 032941	100 × 160 cm	anthracite	1
03295	 9 003117 032958	130 × 160 cm	white	1
03296	 9 003117 032965	130 × 160 cm	anthracite	1



A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z1	Self-adhesive sealing brush	9003117 03787 8	63

ROLLER BLIND WINDOW



Suitable for
Window models
1,2 and 3

See p.13



- All-in-one kit with extruded, powder-coated aluminium profiles
- Fibreglass fly screen fabric, completely weather and tear-proof
- Clamp mounting in the wall reveal without drilling and screwing
- Frontal mounting on window frame possible (accessories included in kit)
- Easily adjustable tensioning force of the roll spring, with recoil protection for more comfort
- Unique anti-wind brush for attaching the fibreglass fabric to the guide rail - even under strong wind pressure
- Size individually customisable
- Required space (installation depth):
Screw mounting: 42 mm
Clamp mounting: 82mm



Drill-free clamp
mounting









Integrated brush for
protection against
strong winds




Easy tensioning of
the closing spring



Art. No.	EAN	Size	Colour	PU
03876	 9 003117 038769	100 × 160 cm	white	1
03877	 9 003117 038776	100 × 160 cm	anthracite	1
03878	 9 003117 038783	130 × 160 cm	white	1
03879	 9 003117 038790	130 × 160 cm	anthracite	1
03892	 9 003117 038929	160 × 160 cm	white	1
03893	 9 003117 038936	160 × 160 cm	anthracite	1

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z1	Self-adhesive sealing brush	9003117 03787 8	63

DOOR DRAPE



Suitable for
**Door models
1,2 and 3**
See p.13



- Lamella curtain made of four overlapping polyester sheets
- With pre-assembled weighting strips
- Easy fastening with velcro and protective tape
- Can be removed at any time
- Width and height individually adjustable
- Required space (installation depth): 5 mm

Art. No.	EAN	Size	Colour	PU
03792	 9 003117 037922	100 × 220 cm	white	1
03793	 9 003117 037939	100 × 220 cm	anthracite	1

MAGNETIC DRAPE





Suitable for
**Door models
1,2 and 3**
See p.13



- Lamella drape comprised of two polyester sections
- Invisible, integrated magnetic strips ensure silent closing action
- Can be cut to size at top and bottom, hemmed at the bottom for a nice finish
- Affixed by means of a velcro strip on the outer door frame
- Can be removed at any time
- Space requirement (installation depth): 5 mm

Art. No.	EAN	Size	Colour	PU
03526	 9 003117 035263	110 × 220 cm	anthracite	1

DOOR DRAPE "EASY"




Suitable for
**Door models
1,2 and 3**
See p.13



- Lamella drape consisting of three (03781) or four (03782) overlapping fibreglass sheets
- With weighting strips
- Easy fastening due to self-adhesive plastic profile
- Removable at any time due to velcro fastener
- Width and height individually adjustable
- Required space (installation depth): 8 mm

Art. No.	EAN	Size	Colour	PU
03781	 9 003117 037816	95 × 220 cm	anthracite	1
03782	 9 003117 037823	120 × 250 cm	anthracite	1

DOOR DRAPE "TELESCOPE" PVC



Suitable for
**Door models
1,2 and 3**
See p.13



- Door curtain made from four overlapping lengths of fibreglass
- Comes with weighting strips
- Easy adhesion or screw mounting using PVC clips
- Removable at any time due to screw mounting
- Size individually telescopic
- Required space (installation depth): 17 mm

Art. No.	EAN	Size	Colour	PU
03612	 9 003117 036123	120 × 250 cm	anthracite	1

NEW

DOOR DRAPE "TELESCOPE" ALU



Suitable for
**Door models
1,2 and 3**
See p.13



Telescopic
aluminium profile



"Soft Stop" ensures
silent closing

- Largely pre-assembled
- Telescopic aluminium profile
- 4 fibreglass slats
- incl. weighting strips with 'soft-stop' function
- Can be shortened individually
- Telescopic width adjustment
- Drill-free installation
- Removable at any time



Fastening using
hook and loop tape

Art. No.	EAN	Size	Colour	PU
04598		120 x 250 cm	alu	1

FRAME DOOR



Suitable for
**Door models
1,2 and 3**
See p.13

- All-in-one kit with extruded, powder-coated aluminium profiles with an additional groove for add-on parts such as hinges
- Robust, weather resistant fibreglass fly screen fabric
- Self-closing hinges (spring integrated in the housing), for screwing
- Magnets keep the door closed
- Full-length handle rail with tissue protection, inside with comfortable grip flap
- All-round sealing brushes for complete protection towards the door frame
- Stable aluminium step profile, screwed with the frame for greater stability. Floor brush for retrofitting (accessory Z26) to protect against crawling insects for e.g. barrier-free doors
- Required space (installation depth): 16 mm
- Suitable for common balcony and terrace doors
- 2 mounting types: screw mounting (fixing material included) or clamp mounting (with a mounting frame, item no. 04518/04519)



Handle rail with tissue protection



Robust corner connectors



Stable aluminium step profile



Optional accessory assortment


Art. No.	EAN	Size	Colour	PU
04535		100 × 210 cm	white	1
04536		100 × 210 cm	anthracite	1




A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z3	Cat flap	9003117 03333 7	63
Z14	Mounting frame, white	9003117 04518 7	67
Z14	Mounting frame, anthracite	9003117 04519 4	67
Z20	Pollen protection fabric	9003117 03477 8	70
Z23	Corner connector set, white	9003117 04542 2	71
Z23	Corner connector set, anthracite	9003117 04543 9	71
Z26	Sealing brush set	9003117 04520 0	72

TELESCOPIC FRAME DOOR



 Suitable for
**Door models
1 and 2**
See p.13



Extendable to the
desired size



Self-closing and
self-lifting hinges



Robust corner
connectors



All-round sealing
brushes for com-
plete protection




- All-in-one kit for a telescopic insect screen door
- High-quality, powder-coated aluminium profiles; extendable to the desired size (min. WxH: 70 x 180 cm / max. WxH 95 x 206 cm)
- Tear-resistant, weatherproof fly screen fabric made of fibreglass
- Saw-less! Pull profiles apart or push them together; the frame is fixed in place by attaching the clamping bars
- Self-closing and self-lifting glass fibre reinforced hinges, for screwing
- Magnetic strips keep the door closed
- All-round sealing brushes for complete protection towards the door frame
- Full-length aluminium handle profile, inside with additional handle flaps
- Required space (installation depth): 20 mm
- Suitable for both flush-mounted and offset doors

Art. No.	EAN	Size	Colour	PU
04516	 9 003117 045163	100 x 210 cm	white	1
04517	 9 003117 045170	100 x 210 cm	anthracite	1

RETRACTABLE PLEATED FRAME DOOR



Stable aluminium profiles




Full-length handle with sealing brush



Velcro flap mounting or screw mounting



High-quality pleated polyester fabric



Suitable for
**Door models
1 and 2**

See p.13

- All-in-one kit for a retractable pleated insect screen for doors
- Stable frame made of high-quality, powder-coated aluminium profiles
- Robust, durable polyester fabric in pleated form; UV-resistant, light and air permeable.
- Full-length aluminium handle profile ensures comfortable opening and closing from both sides
- Practical - the door can be stopped in any position
- Sealing brushes for complete protection towards the door frame
- Door size can be individually adjusted; height can be shortened up to 180 cm
- Required space (installation depth): 26 mm
- Suitable for both flush-mounted and offset doors
- 2 mounting types: drill-free Velcro flap mounting or screw mounting (fixing material incl.)

Art. No.	EAN	Size	Colour	PU
04551	 9 003117 045514	110 × 220 cm	white	1
04552	 9 003117 045521	110 × 220 cm	anthracite	1

ROLLER BLIND DOOR



Easy clamp mounting



Integrated brush for protection against strong winds



Easy tensioning of the closing spring



Suitable for
**Door models
1,2 and 3**
See p.13

- All-in-one kit with extruded, powder-coated aluminium profiles
- Fibreglass fly screen fabric, completely weather and tear-proof
- Clamp mounting in the wall reveal without drilling and screwing
- Frontal mounting on door frame possible (accessories included in kit)
- Easily adjustable tensioning force of the roll spring, with recoil protection for more comfort
- Unique anti-wind brush for attaching the fibreglass fabric in the guide rail - even under strong wind pressure
- Size individually customisable
- Required space (installation depth):
Screw mounting: 42 mm
Clamp mounting: 82mm

Art. No.	EAN	Size	Colour	PU
03894	 9 003117 038943	160 × 225 cm	white	1
03895	 9 003117 038950	160 × 225 cm	anthracite	1

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z1	Self-adhesive sealing brush	9003117 03787 8	63

INSECT SCREEN WINDOW



Foldable swivel handle



Robust corner connectors with cut edge cover



Drill-less fastening



Optional accessory assortment



Art. 04514/04515

Art.Nr. 04514/04515







- Extra high insect screen window with an additional center profile
- Ideal size for floor-to-ceiling windows with French balcony
- Drill-free fastening with height-adjustable stainless-steel suspension springs



Suitable for
**Window models
1, 2 and 3**

See p.13

- All-in-one kit with extruded, powder-coated aluminium profiles with screw channel for handles and suspension springs
- High stability due to fiber-reinforced corner connectors with cut edge cover and aluminum profiles
- High-quality "Perfect View" fibreglass fabric for even better visibility, absolutely weatherproof and tearproof
- User-friendly swivel handle, which when folded out makes installation easier and when folded in does not disturb the view
- With sealing brush at window frame, all-round for continuous protection
- Flexible rubber piping for easy fixation of the fabric in the frame
- Frame size individually adjustable
- Drill-less fastening with height-adjustable stainless-steel suspension springs incl. bending aid; for window frames measuring 8 – 30 mm
- Required space (installation depth): 14 mm
- Suitable for all types of windows including those with rain guard
- Elegantly designed internal corners allow mitre-cut profiles to be connected and ensure stability (accessory Z25, item no. 04546)


Art. No.	EAN	Size	Colour	PU
04527	 9 003117 045279	100 × 120 cm	white	1
04528	 9 003117 045286	100 × 120 cm	anthracite	1
04529	 9 003117 045293	140 × 150 cm	white	1
04530	 9 003117 045309	140 × 150 cm	anthracite	1
04514	 9 003117 045149	120 × 220 cm	white	1
04515	 9 003117 045156	120 × 220 cm	anthracite	1

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z6	Suspension spring mounting set	9003117 03651 2	64
Z7	Latch set, white	9003117 04538 5	64
Z7	Latch set, anthracite	9003117 04539 2	64
Z9	Suspension angle assembly set, white	9003117 04540 8	65
Z9	Suspension angle assembly set, anthracite	9003117 04541 5	65
Z13	Welt	9003117 03626 0	66
Z15	Spring pin assembly set	9003117 04566 8	67
Z20	Pollen protection fabric	9003117 03477 8	70
Z21	Claw protection fabric	9003117 03468 6	69
Z24	Corner connector set, white	9003117 04544 6	71
Z24	Corner connector set, anthracite	9003117 04545 3	71
Z25	Mitre corner connector set	9003117 04546 0	71

PLEATED SKY LIGHT



Suitable for
**Window models
A and B**
See p.12




Both fabric rails
open




Insect protection
fabric application



Sun protection
fabric application



High-quality leated
insect protection



High-quality pleated
sun protection





- All-in-one kit with extruded, powder-coated aluminium profiles
- Perfect insect and sun protection in pleated form (2in1)
- Insect protection fabric made of polyester, robust sun protection fabric made of PET
- Transparent and breathable insect protection fabric
- Both fabric types extremely UV-resistant enabling a long service life
- Parts can be used individually or together, height flexibly adjustable
- Size individually adjustable
- Required space (installation depth): 25 mm

Art. No.	EAN	Size	Colour	PU
03966		110 × 160 cm	white	1

PLEATED WINDOW ULTRA FLAT



Suitable for
Window model 2
See p.13



- All-in-one kit with extruded, powder coated aluminium profiles
- UV-resistant and weatherproof PES pleated fabric
- No drill, no screws fastening on the window frame with suspension springs
- Suitable for offset windows – minimum size mounting frame: 10 mm
- Can be opened and closed via handle bar
- Width and height of the frame can be individually shortened
- Required space (installation depth): only approx. 5 mm – ideal also for windows with close-fitting roller shutters



Extra flat installation depth







No drill installation on the frame



Suitable for windows with roller shutters







Art. No.	EAN	Size	Colour	PU
03242		100 × 120 cm	white	1
03243		100 × 120 cm	anthracite	1
03244		130 × 150 cm	white	1
03245		130 × 150 cm	anthracite	1

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z1	Self-adhesive sealing brush	9003117 03787 8	63


INSECT SCREEN DOOR



Art. No.	EAN	Size	Colour	PU
04531		100 × 210 cm	white	1
04532		100 × 210 cm	anthracite	1
04533		120 × 240 cm	white	1
04534		120 × 240 cm	anthracite	1




Convenient aluminium handle profile



Self-closing and self-lifting hinges, fibre-reinforced



Sturdy aluminium step profile



Optional accessory assortment



- All-in-one kit with extruded, powder-coated aluminium profiles
- High stability due to fibre-reinforced corner connectors with cut edge cover, solid frame profiles, flush handle strip and kick-proof step profile
- High-quality "Perfect View" fibreglass fabric for even better visibility, absolutely weatherproof and tearproof
- Continuous handle profile with a slat to protect the fabric from damage; can be opened from both sides
- Sturdy aluminium step profile with integrated floor brush to protect against crawling insects
- For a closed door: magnetic stripes and reinforced glass fibre hinges (self-closing and self-lifting); individually positionable in the frame profile
- All-round sealing brushes for complete protection towards the door frame
- Insect screen frame size individually adjustable
- Required space (installation depth): 16 mm
- Suitable for common balcony and terrace doors
- 4 mounting types:
Screw mounting (fixing material included),
drill-free mounting (with accessories Z11 and Z16),
adhesive mounting (with accessories Z16 and Z2)
or
clamp mounting (with a mounting frame, item no. 04518/04519)
- Can also be mounted with inside, non-visible corners in mitre cut (accessory Z8, item no. 04547)

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z2	Assembly adhesive	9003117 03545 4	63
Z3	Cat flap	9003117 03333 7	63
Z4	Magnetic latch, white	9003117 03532 4	64
Z4	Magnetic latch, anthracite	9003117 03533 1	64
Z8	Alu-Corner connector set	9003117 04547 7	65
Z11	Aluminium hinge, white	9003117 03554 6	66
Z11	Aluminium hinge, anthracite	9003117 03555 3	66
Z12	Sealing brush set	9003117 04537 8	66
Z13	Welt	9003117 03626 0	66
Z14	Mounting frame, white	9003117 04518 7	67
Z14	Mounting frame, anthracite	9003117 04519 4	67
Z11 + Z16	Aluminium hinge + Clamp adapter	9003117 03554 6 9003117 03555 3 9003117 03874 5 9003117 03875 2	66 66 68
Z20	Pollen protection fabric	9003117 03477 8	70
Z21	Claw protection fabric	9003117 03468 6	69
Z24	Corner connector set, white	9003117 04544 6	71
Z24	Corner connector set, anthracite	9003117 04545 3	71


Suitable for
**Door models
1, 2 and 3**
See p.13



SWING DOOR




All-round profile groove for magnetic closer and sealing brush, sturdy aluminium tread plate



Continuous handle strips on both sides allow easy opening inwards and outwards



Self-closing swing hinges



Fastening by means of velcro strips or screw mounting



Suitable for
**Door models
1 and 2**
See p.13

- All-in-one kit for a fly screen door which opens inwards and outwards and closes by itself
- Perfect for frequently used passageways, can be operated by hand or foot thanks to the handle strip and the tread plate on both sides
- Sturdy frame made of powder-coated aluminium profiles, with all-round groove for magnetic closer and sealing brush, chamfered edges provide an attractive appearance
- Two mounting options: drill-free with velcro strips or fastening by means of screw mounting
- Impeccable view thanks to the high-quality "perfect view" fibreglass fabric in anthracite
- Self-closing and self-lifting glass-fibre reinforced hinges
- Magnets keep the door closed
- Low required space (installation depth): 15 mm



Perfect View fabric for even better visibility

Art. No.	EAN	Size	Colour	PU
03240		100 × 210 cm	white	1
03241		100 × 210 cm	anthracite	1

SLIDING DOOR



Suitable for
**Door models
1,2 and 3**
See p.13



- All-in-one kit with extruded, powder-coated aluminium profiles
- High-quality Perfect View fibreglass fabric for even better visibility, absolutely weatherproof and tearproof
- Track rollers in the upper guide rail - no mess, easy to operate
- 2 mounting options: with continuous bottom guide rail or without barrier
- Can also be fitted with internal, invisible mitre-cut corners (accessory Z8)
- Flush-mounted aluminium handle, can be attached without drilling
- Two individual assembly kits can be used together for a double door



Rollers for easy handling



Barrierless access possible

- Frame size individually adjustable
- Required space (installation depth): 16 mm, double door: 32 mm



Two individual kits can be combined for a double door



Flush aluminium handle

Art. No.	EAN	Size	Colour	PU
03843		120 × 240 cm	white	1
03844		120 × 240 cm	anthracite	1




Perfect View fabric for an even better view

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z2	Assembly adhesive	9003117 03545 4	63
Z3	Cat flap	9003117 03333 7	63
Z8	Alu-Corner connector set	9003117 04547 7	65
Z20	Pollen protection fabric	9003117 03477 8	70
Z21	Claw protection fabric	9003117 03468 6	69


PLEATED DOOR



Suitable for
**Door models
1, 2 and 3**
See p.13



Super-flat bottom
rail for barrierless
access



High-quality
pleated insect
protection



Prefabricated
tension cord
arrangement



- All-in-one kit with extruded, powder-coated aluminium profiles
- Innovative, compact insect screen solutions for doors
- Insect protection polyester pleated fabric
- Transparent and breathable
- Extremely UV-resistant enabling a long service life
- Simplified assembly due to innovative, pre-assembled tension cord arrangement
- User-friendly - no need to relay cords
- Super flat bottom rail (16 mm) for barrierless access
- Width and height can be individually shortened
- Required space (installation depth): 26 mm

Art. No.	EAN	Size	Colour	PU
03955	 9 003117 039551	120 × 240 cm	white	1
03954	 9 003117 039544	120 × 240 cm	anthracite	1

PLEATED DOUBLE DOOR



Suitable for
**Door models
1,2 and 3**
See p.13



Super-flat bottom rail for barrierless access



High-quality pleated insect protection



Prefabricated tension cord arrangement



- All-in-one kit with extruded, powder-coated aluminium profiles
- Innovative, compact insect screen solutions for doors
- Insect protection polyester pleated fabric
- Transparent and breathable
- Extremely UV-resistant enabling a long service life
- Simplified assembly due to innovative, pre-assembled tension cord arrangement
- Super flat bottom rail (16 mm) for barrierless access
- Size individually adjustable, height individually shortenable up to 180 cm
- Required space (installation depth): 26 mm


Art. No.	EAN	Size	Colour	PU
03959		240 x 240 cm	white	1
03958		240 x 240 cm	anthracite	1

OPEN-UP SUN PROTECTION FLY SCREEN



Suitable for
Window model 2
See p.13

- Fly screen with integrated sunblind for opening and closing
- Also ideal for windows with shutters, flower boxes etc.
- Black polyester fabric, reflecting on outside – reduces interior heat-up by reflecting sun rays
- Simple installation on window frame, can be removed at any time
- Space requirement (installation depth): 1 mm
- **INCLUDING** hook & loop-tape

Art. No.	EAN	Size	Colour	PU
03264		130 × 150 cm	anthracite/ silber	10

SUN & INSECT PROTECTION FOR SKY LIGHTS



Suitable for
**Window models
A and B**
See p.12

- Fly screen with integrated sunblind for sky lights
- Black polyester fabric, reflecting on outside – reduces interior heat-up by reflecting sun rays
- Integrated zip fastener allows for opening and closing of sky light without removing the fly screen
- Simple installation by means of self-adhesive velcro strip, can be removed at any time
- required space (installation depth): 1 mm
- **INCLUDING** self-adhesive velcro mounting tape



Art. No.	EAN	Size	Colour	PU
03268		130 × 150 cm	anthracite/ silber	10

MAGNETIC SUN PROTECTION TENTER FRAME



Suitable for
**Window models
1 and 2**
See p.13

- Application: For all windows accessible from the outside to protect from sun and insects
- High-quality plastic and magnetic profiles ensure permanent attachment to the outside of the window frame
- Black polyester fabric, reflecting on the outside – reduces interior heat-up by reflecting sun rays
- Drill-less installation on outside by means of self-adhesive magnetic strips
- Magnetic frame can be removed at any time
- Size individually adjustable
- Optional flush handle can be attached to every corner
- Space requirement (installation depth): 10 mm

Art. No.	EAN	Size	Colour	PU
03269		100 × 120 cm	white	1
03270		100 × 120 cm	anthracite	1

WINDOW SUN BLIND



- Special fibreglass fabric for flexible sun protection
- Reduces sun exposure and interior heat-up
- Drill-less attachment to window sash (glass or frame) by means of eyelets and adhesive hooks
- Can be removed at any time
- Can be sized individually

Art. No.	EAN	Size	Colour	PU
03253		100 × 120 cm	anthracite	1
03288		130 × 150 cm	anthracite	1
03299		120 x 220.cm	anthracite	1

SUSPENDED SUN BLIND



Suitable for
**Window models
1, 2 and 3**

See p.13



- Complete DIY kit made of extruded, powder-coated aluminium profiles
- Special fibreglass fabric reduces sun exposure and interior heat-up
- Drill-less, clamp-less installation by means of adjustable suspension springs incl. practical bending template
- Integrated roller blind brake prevents uncontrolled recoil of fabric
- Height-adjustable handle rail for comfortable operation
- Two sealing brushes for all-round protection even in strong wind
- Frame size can be adjusted to fit
- Space requirement (installation depth): 38 mm







Drill-less installation by means of suspension springs



Can be opened and closed at any time



Incl. bending aid

Art. No.	EAN	Size	Colour	PU
03289	 9 003117 032897	100 × 160 cm	white	1
03290	 9 003117 032903	100 × 160 cm	anthracite	1
03291	 9 003117 032910	130 x 160 cm	white	1
03292	 9 003117 032927	130 x 160 cm	anthracite	1

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z1	Self-adhesive sealing brush	9003117 03787 8	62


TENTER FRAME SUN BLIND



Suitable for
**Window models
1 and 2**


See p.13

- Complete DIY kit made of extruded, powder-coated aluminium profiles
- High-quality fibreglass fabric reduces sun exposure and interior heat-up
- Drill-less installation by means of height-adjustable stainless steel suspension springs (blind frame thickness: 5 - 35 mm)
- Elegantly designed internal aluminium corners allow mitre-cut profiles to be connected and ensure maximum stability (accessory Z8)
- Suitable for all window types, even with weather boarding on blind frame
- With sealing brush at window frame, all-round for continuous protection
- Frame size individually adjustable
- Space requirement (installation depth): 14 mm







5-35 mm

Drill-less suspension spring, height-adjustable, suitable for depths from 5 – 35 mm



Flexible plastic handle

Art. No.	EAN	Size	Colour	PU
03284		100 × 120 cm	white	1
03285		100 × 120 cm	anthracite	1
03286		140 × 150 cm	white	1
03287		140 × 150 cm	anthracite	1

A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z7	Latch set, white	9003117 04538 5	64
Z7	Latch set, anthracite	9003117 04539 2	64
Z9	Suspension angle assembly set, white	9003117 04540 8	65
Z9	Suspension angle assembly set, anthracite	9003117 04541 5	65
Z11	Aluminium hinge, white	9003117 03554 6	66
Z11	Aluminium hinge, anthracite	9003117 03555 3	66

FIBREGLASS FABRIC



- High-quality fiberglass fabric provides protection from insects and the sun
- Reduces sun exposure and interior heat-up
- Weather- and tear-proof
- Suitable for all conventional insect protection frames

Art. No.	EAN	Size	Colour	PU
03271	 9 003117 032712	140 × 150 cm	anthracite	1


A-No.	Mounting accessory (optional)	EAN Art. No.	P.
Z22	Fastening clips - assembly set	9003117 03236 1	70

INDIVIDUAL COMPONENTS

OVERVIEW

Individual components for customised design of the desired frame for windows & doors

Product name			Page		
1	Frame profile for windows	58	6	Z6 Suspension spring mounting set	64
2	Middle rung profile	58	7	Z4 Magnetic latch	64
3	Z13 Welt	66	8	Z12 Sealing brush set	66
4	Z8 Aluminium corner connector set ,Mitre'	65	9	Fibreglass fabric	59/60
5	Z11 Aluminium hinge	66	10	Z24 Corner connector set	71



FRAME PROFILE FOR WINDOWS & DOORS



- Frame profile for assembly of insect protection window or door frames


Art. No.	EAN	Size	Colour	PU
03568	 9 003117 035683	240 cm	white	1
03569	 9 003117 035690	240 cm	anthracite	1

MIDDLE RUNG PROFILE FOR DOORS



- Suitable for the construction of insect screen frame doors
- For stabilizing the central area of larger frame windows from 160 cm upwards

Art. No.	EAN	Size	Colour	PU
03712	 9 003117 037120	235 cm	white	1
03715	 9 003117 037151	235 cm	anthracite	1



ALUMINIUM FABRIC



- Robust aluminium fabric
- Reliable protection against insects, rodents and pigeons
- Very suitable for light shafts
- Resistant and durable
- **MATCHING ACCESSORIES (EXCL.)** welt (Z13), fastening tape (Z17), Fastening clips (Z19)

Art. No.	EAN	Size	Colour	PU
03622	 9 003117 036222	100 × 120 cm	natural aluminium	1
03621	 9 003117 036215	100 × 250 cm	natural aluminium	1
03623	 9 003117 036239	120 × 250 cm	natural aluminium	1

LARGE ALUMINIUM FABRIC ROLL

03654	 9 003117 036543	1,0 × 30 m	natural aluminium	30
03655	 9 003117 036550	1,2 × 30 m	natural aluminium	30

PERFECT VIEW FIBREGLASS











- High-quality Perfect View fiberglass fabric for an unobstructed view through the screen
- Absolutely weatherproof and tear-resistant
- Reliable protection against insects
- Welded seams
- UV-resistant for long-term use
- **MATCHING ACCESSORIES (EXCL.)** welt (Z13), fastening tape (Z17)

Art. No.	EAN	Size	Colour	PU
03501	 9 003117 035010	120 × 250 cm	anthracite	1
03633	 9 003117 036338	140 × 150 cm	anthracite	1

FIBREGLASS FLY SCREEN



- High-quality material made of fiberglass
- Reliable protection against insects
- Suitable for windows and doors
- Welded seams
- UV-resistant for long-term use
- **MATCHING ACCESSORIES (EXCL.)** welt (Z13), fastening tape (Z17)

Art. No.	EAN	Size	Colour	PU
03439	 9 003117 034396	100 x 120 cm	white	1
03443	 9 003117 034433	100 x 120 cm	anthracite	1
03434	 9 003117 034341	100 x 250 cm	white	1
03438	 9 003117 034389	100 x 250 cm	anthracite	1
03444	 9 003117 034440	120 x 250 cm	white	1
03462	 9 003117 034624	120 x 250 cm	anthracite	1
03463	 9 003117 034631	120 x 600 cm	white	1
03464	 9 003117 034648	120 x 600 cm	anthracite	1

LARGE FIBREGLASS FLY SCREEN ROLL



- High-quality material made of fiberglass
- Reliable protection against insects
- Suitable for windows and doors
- Welded seams
- UV-resistant for long-term use
- **MATCHING ACCESSORIES (EXCL.)** welt (Z13), fastening tape (Z17)

Art. No.	EAN	Size	Colour	PU
03634	 9 003117 036345	1,0 × 30 m	grey	30
03635	 9 003117 036352	1,0 × 30 m	white	30
03636	 9 003117 036369	1,0 × 30 m	anthracite	30
03638	 9 003117 036383	1,2 × 30 m	grey	30
03639	 9 003117 036390	1,2 × 30 m	white	30
03640	 9 003117 036406	1,2 × 30 m	anthracite	30
03642	 9 003117 036420	1,4 × 30 m	grey	30
03643	 9 003117 036437	1,4 × 30 m	white	30
03644	 9 003117 036444	1,4 × 30 m	anthracite	30

REPAIR TAPE



- Self-adhesive fibreglass fabric to repair holes and tears in fabric
- Suitable for conventional insect protection systems with fibreglass fabric

Art. No.	EAN	Size	Colour	PU
03627	 9 003117 036277	5 x 100 cm	anthracite	1

MOSQUITO NET



- Fine-mesh mosquito net made from 100% polyester fabric, white/anthracite
- Reliable gnat protection for the interior and open spaces
- Flexible installation using adhesive or screw-type hooks
- Supplied in nylon bag for easy storage and transport

Art. No.	EAN	Size	Colour	PU
03272	 9 003117 032729	2,5 x 12,5 m	white	1
03273	 9 003117 032736	2,5 x 12,5 m	anthracite	1

Z1 SELF-ADHESIVE SEALING BRUSH



- Self-adhesive
- To seal roller blinds and frame systems in the wall reveal

Art. No.	EAN	Size	Colour	PU
03787		2 m	black	1

suitable for use with the following products

	Page
Roller blind window	32
Roller blind door	40

Z2 ASSEMBLY ADHESIVE



- 2-component assembly adhesive
- For attaching aluminium hinges and angles to wood, metal and PVC
- Extreme holding power
- Residue-free removal

Art. No.	EAN	PU
03545		1

suitable for use with the following products

	Page
Insect screen door EXPERT	46

Z3 CAT FLAP



- For insect screen frame doors
- Simple mounting with clip system

Art. No.	EAN	Size	Colour	PU
03333		20 x 25 cm	black	1

suitable for use with the following products

	Page
Frame door PLUS	36
Insect screen door EXPERT	46
Sliding door EXPERT	49

Z4 MAGNETIC LATCH



- Keeps doors and windows shut
- Simple assembly, can be inserted into the profile groove
- With self-adhesive counterpart

Art. No.	EAN	Contents	Colour	PU
03532	9 003117 035324	6 parts à 10 cm	white	1
03533	9 003117 035331	6 parts à 10 cm	anthracite	1

Z6 SUSPENSION SPRING MOUNTING SET



- For drill-free attaching of insect screen frame windows
- For window frames measuring 5 - 35 mm
- Easy to fasten to the profile groove
- Variably height-adjustable
- **INCLUDING** bending aid

Art. No.	EAN	Contents	PU
03651	9 003117 036512	4 pieces	1

Z7 LATCH-SET



- For frontal mounting of the insect screen to the window frame
- Insect screen can be removed at any time
- For frame thicknesses of up to 11.5 mm
- Set consists of four latches incl. screws

Art. No.	EAN	Contents	Colour	PU
04538	9 003117 045385	4 pieces	white	1
04539	9 003117 045392	4 pieces	anthracite	1

suitable for use with the following products

P.

Frame window PLUS

30

Insect Screen window EXPERT


42

Z8 ALUMINIUM CORNER CONNECTOR SET ,MITRE'



- Aluminium corner connector set for mitre cut
- Stable and elegant corners for windows and doors
- Attention! The width of the insect screen frame is reduced by 6 cm and the height by 7 cm.
- **INCLUDING** Window handles and centre rung connectors

Art. No.	EAN	Contents	Colour	PU
04547		4 Stück	aluminium-coloured	1



suitable for use with the following products	Page
Insect screen door EXPERT	46
Sliding door EXPERT	49
Frame profiles for windows and doors	58

Z9 SUSPENSION ANGLE ASSEMBLY SET




- For attaching frame windows to window frames or brickwork

Art. No.	EAN	Contents	Colour	PU
04540		4 pieces	white	1
04541		4 pieces	anthracite	1

suitable for use with the following products	Page
Frame window PLUS	30
Insect screen window EXPERT	42


Z11 ALUMINIUM HINGE



- For Expert hinged frame doors
- Self-closing hinges (with internal spring) for screwing or gluing

Art. No.	EAN	Contents	Colour	PU
03554	9 003117 035546	3 pieces	white	1
03555	9 003117 035553	3 pieces	anthracite	1
suitable for use with the following products			Page	
Insect screen door EXPERT			46	

Z12 SEALING BRUSH SET EXPERT



- Set consisting of circumferential sealing brush and floor brush
- For easy installation in the insect screen profile
- Seals to the frame, to the reveal and to the floor

Art. No.	EAN	Colour	PU
04537	9 003117 045378	black	1

Z13 WELT



- For attaching the fabric to the frame profile
- Welt tool included

Art. No.	EAN	Size	Colour	PU
03626	9 003117 036260	5 m	anthracite	1
suitable for use with the following products			Page	
Aluminium fabric			59	
Fibreglass fly screen			60	
Insect screen window EXPERT			42	
Insect screen door EXPERT			46	

Z14 MOUNTING FRAME



simple clamp mounting of the frame in the reveal



Sealing brush for frame

- All-in-one kit with extruded, powder-coated aluminium profiles
- Mounting frame for easy installation of insect screen frame doors in the wall reveal
- No damage to door frame or reveal due to simple clamping
- For insect screen frame doors up to max. 120 × 240 cm
- Frame size individually adjustable

Art. No.	EAN	Size	Colour	PU
04518	 9 003117 045187	125 x 245 cm	white	1
04519	 9 003117 045194	125 x 245 cm	anthracite	1

suitable for use with the following products

Page

Frame door PLUS

36

Insect screen door EXPERT

46

Z15 SPRING PIN ASSEMBLY SET



- To attach the inset screen frame windows to the window reveal

Art. No.	EAN	Contents	Colour	PU
04566	 9 003117 045668	4 pieces	silver-coloured	1

suitable for use with the following products

Page

Frame window PLUS

30

Insect screen window EXPERT

42

Z16 CLAMP ADAPTER



- Hinge for drill-less clamping installation of EXPERT frame door screen on door frame
- Also ideal for rental accommodation
- Suitable for recessed doors with a frame thickness of 13 to 28 mm

Art. No.	EAN	Contents	Colour	PU
03874	 9 003117 038745	3 Stück	white	1
03875	 9 003117 038752	3 Stück	anthracite	1

suitable for use with the following products	Page
Insect screen door EXPERT	46
Only in combination with aluminium hinge set Z11	66

Z17 FASTENING TAPE



- High-quality tape for attaching fly screens made of polyester, fibreglass or aluminium

Art. No.	EAN	Size	Colour	PU
03469	 9 003117 034693	2 x 2,5 m	transparent	1

suitable for use with the following products	Page
Aluminium fabric	59
Fibreglass fly screen	60

Z18 VELCRO TAPE




- For fastening polyester fabrics

Art. No.	EAN	Size	Colour	PU
03472		5 m	transparent	10

suitable for use with the following products	Page
Fly screen	22
Elastic fly screen	23
Sky light fly screen	23

Z19 FASTENING CLIPS




- To attach fabrics to light shafts
- Made of stainless steel

Art. No.	EAN	Contents	PU
03779		12 pieces	1

suitable for use with the following products	Page
Aluminium fabric	59

Z21 CLAW PROTECTION FABRIC



- Extremely robust, breathable mesh fabric
- Particularly resistant and tearproof against animal claws
- For wetting into frame door and window

Art. No.	EAN	Size	Colour	PU
03468		120 x 150 cm	anthracite	1

suitable for use with the following products	Page
Insect screen window EXPERT	42
Insect screen door EXPERT	46
Sliding door EXPERT	49

z20 POLLEN PROTECTION FABRIC*



- Special fabric to protect against pollen indoors
- Particularly recommended for people with allergies to pollen from trees, grasses etc.
- High breathability
- Also suitable as protection against insects

Art. No.	EAN	Size	Colour	PU
03477		120 x 150 cm	anthracite	1

.....
 * Pollen protection fabric filters pollen, dust and grime. Pollen screens help to reduce pollen in interior rooms, however, they do not replace medical treatment.

suitable for use with the following products	Page
Frame window PLUS	30
Frame door PLUS	36
Insect screen window EXPERT	42
Insect screen door EXPERT	46
Sliding door EXPERT	49


z22 FASTENING CLIPS - ASSEMBLY SET



- for additional fastening or for windows with double sashes.
- Simple and drill-free assembly.

Art. No.	EAN	Contents	Colour	PU
03236		6 pieces	anthracite	1

Z23 CORNER CONNECTOR SET PLUS



- Replacement corners, set of 4
- Suitable for Plus frame windows and doors

Art. No.	EAN	Contents	Colour	PU
04542	9 003117 045422	Set	white	1
04543	9 003117 045439	Set	anthracite	1

suitable for use with the following products	Page
Frame window PLUS	30
Frame door PLUS	36

Z24 CORNER CONNECTOR SET EXPERT



- Replacement corners, set of 4
- Suitable for Expert frame windows and doors, as well as self-assembly profiles

Art. No.	EAN	Contents	Colour	PU
04544	9 003117 045446	Set	white	1
04545	9 003117 045453	Set	anthracite	1

suitable for use with the following products	Page
Insect screen window EXPERT	42
Insect screen door EXPERT	46

Z25 CORNER CONNECTOR SET 'MITRE'




- Internal corner connector set for mitre cuts
- Suitable for Expert frame windows

Art. No.	EAN	Contents	PU
04546	9 003117 045466	4 pieces	1

suitable for use with the following products	Page
Insect screen window EXPERT	42

Z26 SEALING BRUSH SET PLUS



- Replacement brushes
- Suitable for Plus frame windows and doors

Art. No.	EAN	Contents	PU
04520		Set	1

suitable for use with the following products	Page
Frame window PLUS	30
Frame door PLUS	36

Z27 FLY SCREEN CUTTING SET

NEW



- Special mitre box for cutting standard fly screen products such as tenter frames, roller blinds and pleated blinds
- Solid metal saw
- Device for attaching profile in the mitre box
- High side panels for stable saw blade movement and precise cutting



Mitre box



Clamp pins to fasten the aluminium profiles

Art. No.	EAN	Size	PU
04599		Mitre box: 23 x 7 x 6 cm Saw: 250 - 300 mm	1



TAKING MEASUREMENTS CORRECTLY

FRAMED WINDOW AND DOOR SCREENS

Required dimensions: Opening width, opening height

The “Opening dimensions” are obtained by measuring the opening of the window/door frame (inside frame-to-frame measurement):

- from left to right for the “opening width”
- from top to bottom for the “opening height”



- ! For a secure, tight fit on the window frame, make sure there is an adequate installation/support surface around your opening:
- left 17 mm, right 17 mm, top 35 mm and bottom 30 mm.

- ! For a secure, tight fit on the door frame, make sure there is an adequate installation/support surface around your opening:
- hinge side 37 mm, opposite side 25 mm, top 45 mm and bottom 20 mm.
- For a barrier-free door with no door frame at the bottom, reduce the opening height measurement by 20 mm to avoid an overhang at the bottom.

TAKING MEASUREMENTS CORRECTLY


ROLLER WINDOW AND DOOR SCREEN, PLEATED DOOR SCREEN

Required dimensions: Reveal width, reveal height

The “**Reveal dimensions**” are obtained by measuring the wall-to-wall distance:

- from left to right for the “reveal width”
- from top to bottom for the “reveal height”

Tip: Measure the reveal at three points and use the smallest value.



TAKING MEASUREMENTS CORRECTLY

SLIDING DOOR SCREEN

Required dimensions: Opening width, opening height, reveal width, reveal height


The “**Opening dimensions**” are obtained by measuring the opening of the door frame (inside frame-to-frame distance):

- from left to right for the “opening width”
- from top to bottom for the “opening height”

You get the “**Reveal dimensions**” by measuring the wall-to-wall distance:

- from left to right for the “reveal width”
- from top to bottom for the “reveal height”

Tip: Measure the reveal at three points and use the smallest value.





WINDHAGER
HANDELSGES.M.B.H.
Industriestraße 2
A-5303 Thalgau
austria@windhager.eu

WINDHAGER SCHWEIZ AG
Bösch 25
CH-6331 Hünenberg
swiss@windhager.eu

WINDHAGER FRANCE SAS
2A rue de Bruxelles
F-67170 BERNOLSHEIM
france@windhager.eu



www.windhager.eu



08877 · 07/2024
We accept no liability for errors or printing mistakes.



9 003117 088771